

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the **PATENT APPLICATION** of:

Dal Pra' et al.

Application No.: 12/161,739

Confirmation No.: 4468

Filed: October 10, 2008

For: CONTROL DEVICE FOR A
BICYCLE DERAILLEUR

Group: 3656

Examiner: Daniel D. Yabut

Our File: CAM3-PT138

Date: April 16, 2012

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Further to Applicants' Duty of Disclosure pursuant to 37 C.F.R. §1.56, Applicants wish to bring to the Examiner's attention the material cited on the enclosed PTO/SB/08a form. Pursuant to 37 C.F.R. §1.98(a)(2)(ii), copies of the cited U.S. publications and/or patent documents have not been included.

Pursuant to 37 C.F.R. § 1.97(e)(2), the undersigned certifies that no item of information contained in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counter part foreign application, and, to the knowledge of the person signing the certification, after making reasonable inquiry, no item of information contained in the Information Disclosure Statement was

known to any individual designated in § 1.56(c) more than three months prior to the filing of this Information Disclosure Statement.

No fee is believed due, if any additional fees are required, the Commissioner is authorized to charge any fees due or credit any overpayment to Volpe and Koenig's Deposit Account No. 22-0493.

Reproduction of certain publications and non-patent literature may be subject to copyright laws in the U.S. and other countries, and a license may be required.

It is respectfully requested that the Examiner consider these documents and return an initialed copy of the PTO/SB/08a form indicating their consideration of the cited materials.

Respectfully submitted,

Dal Pra' et al.

By Thomas P. Gushue
Thomas P. Gushue
Registration No. 63,061
(215) 568-6400

Volpe and Koenig, P.C.
United Plaza
30 South 17th Street
Philadelphia, PA 19103
TPG/srp
Enclosure